

Plants of the Rio Bravo Conservation and Management Area, Belize, 2020; provisional, incomplete list

contact: N. Brokaw <nvbrokaw@ites.upr.edu>

Scientific name **botanical authority** **Common name** **Form** **Brokaw & Schulze collection #**

‡ introduced; * specimen deposited at the Missouri Botanical Garden Herbarium

form code - typical form

Tvl - very large tree: stems to 30+ m in height

TI - large tree: stems to >15 m height

Tm - medium tree: stems to 15 m height

Ts - small tree: stems to 2-8 m in height

T - tree: mature height unknown to the authors

S - woody, multi-stemmed, ususally <5 m in height

H - herb

L - liana (woody vine)

He - hemi-epiphyte: starts on tree, roots to ground

St - strangler: germinates on tree, overgrows tree

ACANTHACEAE

Aphelandra deppeana Schlect. & Cham. S 2*, 38*, 92*

ANACARDIACEAE

<i>Astronium graveolens</i> Jacq.	glassy wood, palo mulatto	TI	81
<i>Mangifera indica</i> ‡	mango	TI	
<i>Metopium brownei</i> (Jacq.) Urb.	black poison wood	TI	295*
<i>Mosquitoxylum jamaicense</i> Krug & Urb.	bastard mahogany	TI	158*
<i>Spondias mombin</i>	hog plum	TI	
<i>S. radlkoferi</i>	hog plum, jobo	TI	

ANNONACEAE

<i>Annona glabra</i>	bobwood	Ts	
<i>A. primigenia</i>	wild custard apple	Tm	
<i>Cymbopetalum</i> sp.		Tm	
<i>Mosannonna depressa</i> (Baill.) Chatou	lancewood, wild soursop	Ts	448
<i>Xylopia frutescens</i>	polewood	Tm	

APOCYNACEAE

<i>Aspidosperma cruentum</i>	mylady	Tl	
<i>A. megalocarpon</i>	white mylady	Tl	
<i>Cameraria belizensis</i> Standley	savanna white poisonwood	Ts	332*
<i>Plumeria obtusa</i>	zopilote	Ts	
<i>P. rubra</i> ‡	Spanish jasmine, frangipani	Ts	
<i>Tabernaemontana alba</i> Mill.	cojotón, cojón de perro	Tm	
<i>Tabernaemontana donnell-smithii</i> (Rose) Woods.	cojotón	Tl	45
<i>Thevetia ahouai</i> (L.) DC	cojón de mico	Ts	

AQUIFOLIACEAE

<i>Ilex guianensis</i> (Aubl.) Kuntze	cassada, bird berry	T	407*
---------------------------------------	---------------------	---	------

ARALIACEAE

<i>Dendropanax arboreus</i> (L.) Decne. & Planch.	white gombolimbo	Tl	137*
<i>D. stenodontus</i> (Standley) A. C. Smith		T	15*
<i>Oreopanax obtusifolius</i> L. O. Williams		He, Tm	217

ARECACEAE

<i>Acoelorrhaphe wrightii</i> (H. Wendl.) Beccari	palmetto	Ts	271*
<i>Attalea cohune</i> Mart.	cohune	Tl	487
<i>Bactris major</i>	porknobby	Ts,	
<i>B. mexicana</i> Mart. (including <i>B. trichophylla</i>)	porknobby	Ts,	180*
<i>Chamaedorea schippii</i>		S, Ts	
<i>Chamaedorea</i> sp.	xate	Ts	26*, 80
<i>Cocos nucifera</i> ‡	coconut	Tl	
<i>Cryosophila stauracantha</i>	escoba, give-and-take	Ts	
<i>Desmoncus orthacanthos</i>	bayal, basket tie-tie	L	
<i>Gaussia maya</i> (Cook) Quero & Read	palmasito	Tm	319*
<i>Roystonea regia</i> (Kunth) O.F. Cook	royal palm	Tl	
cf. <i>Sabal mauritiformis</i> (Karst.) Griseb. & H. Wendl.	botán palm, bayleaf palm	Tl	486

ASCLEPIADACEAE

<i>Asclepias curassavica</i> L.		H	68
<i>Matalea gentlei</i> (Lundell & Standley) Woodson		L	79*, 238*
<i>Sarcostemma bilobum</i> Hook. & Arn.		L	74*

ASTERACEAE

<i>Clibadium arboreum</i>		Ts	
<i>Eupatorium albicaule</i>	old woman's walking stick	Ts	
<i>Koanophyllon</i> sp.		T	

BIGNONIACEAE

<i>Amphitecna</i> cf. <i>latifolia</i> (Miller) Gentry	river calabash	Ts, S	244*
<i>Arrabidaea</i> cf. <i>florida</i> P. DC.		L	1*
<i>Crescentia cujete</i>	calabash	Ts	
<i>Godmania</i> sp.			
<i>Parmentiera aculeata</i>	cow okra	Ts	
<i>Tabebuia</i> cf. <i>guayacan</i> (Seem.) Hemsl.	cortéz, yellow mayflower	Tl	304, 331
<i>T.</i> cf. <i>rosea</i> (Bertol.) DC.	mayflower	Tl	470
<i>Tynanthus</i> sp.		L	

BORAGINACEAE

<i>Bourreria mollis</i> Standl.	wild craboo	Tl	509
<i>Cordia alliodora</i>	salmwood, laurel	Tl	
<i>C. sebestena</i>	zircote	Tm	

BURSERACEAE

<i>Bursera simaruba</i> L.	gombolimbo	Tl	90*, 365*
<i>Protium copal</i> (Schlecht. & Cham.) Engler	copal	Tm	155, 265*

CANNABACEAE

<i>Celtis iguanea</i> (Jacq.) Sarg.	wild cherry	L	514
<i>C. trinervia</i>		Tm	
<i>Trema micrantha</i> (L.) Blume	capulín	Tm	96*

CAPPARIDACEAE

<i>Forchammeria trifoliata</i>	bastard dogwood	S, Ts	
--------------------------------	-----------------	-------	--

CARICACEAE

<i>Carica papaya</i>	papaya	Tm	
<i>Jacaratia dolichaula</i>	wild pawpaw	Tm	

CELASTRACEAE

<i>Crossopetalum gaumeri</i> (Loes.) Lundell		S	29, 141*, 152, 333*
--	--	---	---------------------

<i>Crossopetalum cf. parviflorum</i>			
<i>Hemiangium excelsum</i>		Tm	
<i>Semialarium mexicanum</i>		T	
CHRYSOBALANACEAE			
<i>Chrysobalanus icaco</i> L.	coco plum	Ts, S	112*, 403
<i>Hirtella americana</i> L.	pigeon plum	Tl	102, 124, 291*, 310*
<i>H. racemosa</i>	wild pigeon plum	Ts	
<i>Licania platypus</i>	monkey apple	Tl	
CLUSIACEAE			
<i>Calophyllum brasiliense</i> Cambess.	santa maría	Tl	294
<i>Clusia chanekiana</i> Lundell	matapalo	He	218
<i>Clusia rosea</i>	matapalo	He	
<i>Vismia</i> sp.		Tm	
COCHLOSPERMACEAE			
<i>Cochlospermum vitifolium</i>	wild cotton	Ts	
COMBRETACEAE			
<i>Combretum cf. laxum</i> Jacq.		L	241
<i>Conocarpus erecta</i>	buttonwood	Ts	
<i>Terminalia amazonia</i> (Gmel.) Exell	nargusta	Tvl	293
<i>T. buceras</i> L.	bullet tree	Tl	118
<i>T. catappa</i> ‡	almond	Tm	
CONVOLVULACEAE			
<i>Ipomea heterodoxa</i> Standley & Steyerm.		L	179*
<i>I. tuxtlensis</i> House		L	18*
DICHAPETALACEAE			
<i>Dichapetalum donnell-smithii</i> Engler	auselín	S, Ts	429*
DILLENACEAE			
<i>Curatella americana</i>	yaha	Ts	
<i>Tetracera volubilis</i> L. subsp. <i>mollis</i> (Standley) Kub.		L	162*

DIOSCOREACEAE*Dioscorea* sp. L**DRACAENACEAE***Dracaena americana* J.D. Smith candle wood Tm 138***EBENACEAE***Diospyros yatesiana* Standl. [Lundell?] T 85*Diospyros nigra* (J.F. Gmel.) Perrier zapote negro Tl**ERYTHROXYLACEAE***Erythroxylum areolatum* L. redwood Ts 116**E. rotundifolium* Lunan S 189*, 421***EUPHORBIACEAE***Adelia barbinervis* Schlect. & Cham. bastard lemoncillo Ts 468*Alchornea latifolia* Sw. fiddlewood Tm 342*Bernardia interrupta* waika ribbon Ts, S*Cnidocolus* sp. Ts*Croton reflexifolius* HBK Ts 273*, 398, 399, 400, 426, 432, 436, 437, 438*Croton* sp. Ts, S 183*, 334*, 364**Gymnanthes lucida* Sw. false lignum vitae Tm 134, 292*Jatropha curcas* L. Ts 109*Ricinus communis* L. castor oil bean S*Sapium lateriflorum* leche maría Tl**FABACEAE****Caesalpinioideae***Bauhinia* sp. cowfoot Ts, Tm*Caesalpinia gaumeri* warree wood Tl*C. recordii* bastard billy webb Tm*Cassia grandis* bookut, stinking toe Tl*Haematoxylum campechianum* logwood, tinta Tm*Schizolobium parahybum* quamwood Tl, Tvl*Swartzia cubensis* bastard rosewood Tl 492

Mimosoideae

<i>Albizia tomentosa</i>	wild tamarind	T	
<i>Calliandra belizensis</i> (Standley) Standley		Ts, S	136*, 169*, 440*
<i>C. calothyrsis</i> Meiss.		S?	75
<i>C. emarginata</i> (Humb. & Bonpl.) Benth.		S?	186, 191, 422, 444
<i>Cojoba arborea</i> (L.) Britton & Rose	barba jolote	Tvl	216
<i>C. graciliflora</i> (S.F. Blake) Britton & Rose	john crow bead	Ts	277*
<i>Enterolobium cyclocarpum</i>	tubroos, guanacaste	Tvl	
<i>Inga vera</i> Willd.	guamo, bribri	Tm	460*
<i>I. sapindoides</i>	bribri	T	
<i>Lysiloma latisliquum</i>	salám	Tl	
<i>Mariosousa usumacintensis</i>	jesmo, hesmo	Tl	
<i>Pithecellobium albicans</i> (Kunth) Benth.		T	256*, 350, 361, 459, 465
<i>P. hymenaeifolium</i>		T	
<i>P. insignis</i> Micheli		T	458
<i>P. leucocalyx</i>	guacibán	Tl	
<i>Senegalia glomerosa</i> (Benth.) Britton & Rose	white tamarind	Tl	123*, 164, 467, 473, 483
<i>Vachellia gentlei</i>	cockspur, ant thorn	Tm	
<i>Zapoteca formosa</i> (Kunth.) H. Hern. subsp.		L	64
<i>Zygia peckii</i> (Rob.) Britton & Rose		Ts	289*
<i>Z. stevensonii</i> (Standley) Record	león	Ts	107*

Papilionoideae

<i>Acosmium panamense</i>	billy webb	Tl	
<i>Aeschynomene</i> sp.		S	
<i>Andira inermis</i>	cabbage bark	T	
<i>Dalbergia glabra</i>		L	
<i>Diphysa carthagenensis</i> Jacq.		S, T	
<i>Erythrina folkersii</i>	coral tree	Ts	
<i>Gliricidia sepium</i> (Jacq.) Walp.	madre cacao	Ts	144
<i>Lennea melanocarpa</i>	madre cacao	T, S	
<i>Lonchocarpus castilloi</i>	black cabbage bark	Tl	
<i>L. luteomaculatus</i>	dogwood, turtle bone	Tl	
<i>L. rugosus</i>	black cabbage bark	Tl	
<i>Myroxylon balsamum</i>	balsam of Peru	Tvl	
<i>Ormosia schippii</i>	hormigo	Tl	

<i>Piscidia piscipula</i>	may bush, jabín	Tl	
<i>Platymiscium diomorphandrum</i>	granadillo	Tl	
<i>Pterocarpus rorhii</i> Vahl	mountain kaway	Tl	510
<i>Vatairea lundellii</i>	bitter wood	Tl	
FAGACEAE			
<i>Quercus oleoides</i> Schlect. & Cham.	oak	Tl	276*
GENTIANACEAE			
<i>Lisianthus axillaris</i> Hemsl.		S	111*
<i>Voyria</i> sp.		H	262*
LACISTEMATAACEAE			
<i>Lacistema aggregatum</i> (Berg.) Rusby	palo mulato	Ts	266*
LAMIACEAE			
<i>Aegiphila monstrosa</i> Moldenke	vara blanca	S	297*
<i>Callicarpa acuminata</i>	pukin	S, Ts	
<i>Gmelina arborea</i> ‡		Tm	
<i>Rehdera penninervia</i> Standley ex Moldenke	hinge hinge	Tl	94, 228*, 230
<i>Stachytarpheta miniacea</i> Moldenke		S	223*
<i>Tectona grandis</i> ‡	teak	Tl	
<i>Vitex gaumeri</i> Greenm.	fiddlewood, yashnik	Tl	119
LAURACEAE			
cf. <i>Licaria peckii</i> (Lundell) Kosterman	timbersweet	Tl	129
<i>Nectandra coriacea</i>	laurel	Ts	
<i>Nectandra liebmannii</i>			
<i>Damburneya nitida</i> (Mez) Trofimov & Rohwer	laurel	Tm	229
LOGANIACEAE			
<i>Strychnos panamensis</i> Seeman		L	37*
LORANTHACEAE			
<i>Phoradendron</i> sp.	mistletoe	epiphyte	117*
<i>Psittacanthus calyculatus</i> (DC.) Don	mistletoe	epiphyte	247*

MALPIGHIACEAE

<i>Bunchosia swartziana</i>		T	
<i>Byrsonima bucidaefolia</i>	crabboo	T	
<i>B. crassifolia</i>	crabboo	Tm	
<i>Stigmaphyllon</i> sp.			

MALVACEAE

<i>Ceiba schottii</i>		Tl	
<i>C. pentandra</i> (L.) Gaertn.	ceiba, cotton tree	Tvl	374
<i>Guazuma ulmifolia</i> Lam.	bay cedar, bastard cedar	Tm	462
<i>Heliocarpus donnell-smithii</i>	broadleaf moho	Tm	
<i>Hampea stipitata</i> S. Wats.	moho	Ts	27*
<i>Luehea seemannii</i>	caulote	Tl	
<i>L. speciosa</i> Willd.	caulote, mountain moho	Tl	65*, 220*
<i>Malviscus arboreus</i> Cav.		S	11*
<i>Ochroma lagopus</i>	balsa, polak	Tl	
<i>Pachira aquatica</i> Aubl.	provision tree	Tl	476
<i>Pseudobombax ellipticum</i> (HBK) Dugand.	mapola	Tvl	106
<i>Quararibea cf. funebris</i> (Llave) Vischer	batidos	Tm	508
<i>Trichospermum lessertianum</i>	moho, mahao	Tm	

MARCGRAVIACEAE

<i>Souroubea</i> sp.		L	
----------------------	--	---	--

MELASTOMATACEAE

<i>Clidemia octona</i> (Bonpl.) L. O. Wms		S	62*
<i>Miconia argentea</i> (SW.) DC.	white maya	Tm	323*
<i>M. impetolaris</i>	maya	Ts	
<i>M. longifolia</i> (Aubl.) DC.		T	209
<i>Mouriri myrtilloides</i>	jug, half crown	Ts	

MELIACEAE

<i>Cedrela mexicana</i> L.	cedro, Spanish cedar	Tvl	340*
<i>Guarea glabra</i> Vahl	cramantee	Tm	314*, 354*
<i>G. grandifolia</i>	wild akee	T	
<i>Melia azedarach</i> †	paradise tree	T	
<i>Swietenia macrophylla</i> King	mahogany, caoba	Tvl	296*, 345

<i>Trichilia havanensis</i> Jacq.	bastard lime	T	234
<i>T. minutiflora</i> Standley	wild lime	Tm	39
<i>T. pallida</i> Sw.	carbón del río	Ts	44*

MORACEAE

<i>Brosimum alicastrum</i> Sw.	ramón, breadnut	Tvl	40, 379*
<i>Castilla elastica</i> Sessé	wild rubber	Tm	100
<i>Cecropia peltata</i> L.	trumpet, guarumo	Tm	82*, 370*
<i>Coussapoa</i> sp.	matapalo	He, Tl	210
<i>Dorstenia</i> cf. <i>contrajerva</i> L.		H	451*
<i>Ficus americana</i> Aubl.	fig, matapalo	St, Tl	384
<i>F. costaricana</i>	fig, matapalo	St, Tl	
<i>F. insipida</i> Willd.	fig	Tl	356
<i>F. maxima</i> Miller	fig	Tl	33, 34*, 214*, 455, 478
<i>F. obtusifolia</i>	fig, matapalo	St	
<i>F. pertusa</i>	fig	St	
<i>F.</i> cf. <i>popenoei</i>	fig	St	
<i>F.</i> spp.	fig	T, St	208, 302*, 372, 386
<i>Maclura tinctoria</i> (L.) Steudel	fustic	Tl	450
<i>Pseudolmedia</i> cf. <i>spuria</i> (Sw.) Griseb.	cherry	Tm	131
<i>Trophis racemosa</i> (L.) Urb.	red breadnut, white ramón	Tm	385

MYRICACEAE

<i>Myrica cerifera</i> L.	tea bark	Ts, S	272*
---------------------------	----------	-------	------

MYRSINACEAE

<i>Ardisia</i> cf. <i>compressa</i> HBK	blossom berry grape	Ts	19*, 113*, 337*, 431
<i>Myrsine</i> sp.			
<i>Rapanea</i> sp.		S	

MYRTACEAE

<i>Calyptanthus chytraculia</i>	guayabillo	S, Ts	511
<i>C. karlingii</i> Standl.		S	253
<i>Eucalyptus</i> sp.‡		Tl	
<i>Eugenia rhombea</i> (O. Berg) Krug. & Urb.		S, Ts	215
<i>Myrciaria</i> sp.		Tm	
<i>Pimenta dioica</i> (L.) Merrill	allspice	Tl	498

NYCTAGINACEAE*Neea psychotrioides* J.D. Smith

Ts 8*, 150, 237*, 279*, 290

OCHNACEAE*Ouratea lucens* (HBK) Engler

blossomberry

Ts 261*

O. nitida (Sw.) Engler

bastard blossom berries

Ts, S 114*, 446*

OLACACEAE*Schoepfia schreberi* J.F. Gmel.

Ts 187, 188, 441

PHYLLANTHACEAE*Astrocasia tremula* (Griseb.) Webster

Ts 363*

Margaritaria nobilis L.f.

clawberry, ramón macho

Tm 463, 477

Phyllanthus sp.**PHYTOLACCACEAE***Achatocarpus nigricans* Triana

Ts 50, 351, 352

Rivina humilis L.

L 86*

PINACEAE*Pinus caribaea*

Caribbean pine

Tl

PIPERACEAE*Piper aduncum*

Spanish elder

Ts

P. auritum

cowfoot, bullhoof

Ts

P. jacquemontianum Kunth

S 23*, 430*

P. marginatum Jacq.

S 55*

P. pseudo-puligeneum C. DC.

S 56*

P. psilorrhachis C. DC.

Spanish elder

S 63*

P. yucatanense C. DC.

S 22*, 278*

P. sp.

S 202

POLYGONACEAE*Coccoloba acapulcensis*

Ts, S

C. belizensis Standley

wild grape

Tl 353*

C. cozumelensis Hemsl.

wild grape

T 163*, 309, 449

C. diversifolia

Tl

<i>C. cf. mayana</i> Lundell		T	172*
<i>C. reflexiflora</i> Standley		Ts, S	394
<i>Gymnopodium floribundum</i> Rolfe	bastard logwood	Ts, S	190, 280*
<i>Neomillspaughia paniculata</i> (J. D. Smith) Blake		L	83*
PUTRANJIVACEAE			
<i>Drypetes brownii</i> Standl.	male bullhoof	Tl	490
<i>D. lateriflora</i> (Sw.) Krug & Urb.		Tm	53, 157, 306, 317, 439*
PROTEACEAE			
<i>Roupala montana</i> Aubl. (“probably”, MBG)		Ts, Tm	258
RHAMNACEAE			
<i>Colubrina cf. ferruginosa</i> Brogn.		T	390*
<i>Gouania polygama</i> (Jacq.) Urb.		L	122*, 194*
<i>Krugiodendron ferreum</i> (Vahl) Urb.	axemaster, quebracho	Tl	479
RHIZOPHORACEAE			
<i>Cassipourea cf. guianensis</i> Aubl.	water wood	Tm	156*, 165
<i>Rhizophora mangle</i>	red mangrove	S	
RUBIACEAE			
<i>Alibertia edulis</i> (L. Rich.) A. Rich	wild guava	Ts	9*
<i>Alseis yucatanensis</i> Standley (likely <i>A. hondurensis</i>)	wild mamee	Tl	36*
<i>Amaioua corymbosa</i> HBK		Tm	93*
<i>Appunia guatemalensis</i> J.D. Smith		L	58*
<i>Cephaelis</i> sp.		S	
<i>Chomelia protracta</i> (Bartl.) Standley		S	254*
<i>Cosmocalyx spectabilis</i> Standley		Tl	232*, 330
<i>Coutarea hexandra</i> (Jacq.) K. Schum.		T	349, 371, 454, 456, 457
<i>Faramea occidentalis</i> (L.) Rich.		Ts	251*
<i>Genipa americana</i>		Tl	
<i>Geophila repens</i> (L.) I.M. Johnst.		H	4*
<i>Guettarda combsii</i> Urb.	glassy wood	Tm	97*
<i>G. elliptica</i> Sw.	prickle wood	T	406, 464
<i>G. macrosperma</i> J.D. Smith		T	5*
<i>Hamelia patens</i> Jacq.		S	20, 25*

<i>Psychotria chiapensis</i> Standley	cassada, white wood	T	287, 346*, 355*
<i>P. costivenia</i> Griseb.		S	12*, 21*, 59*, 67*, 70*, 215, 283, 315*, 325*
<i>P. domingensis</i> Jacq.		S	32*
<i>P. fruticetorum</i> Standley		S	184*, 255, 312, 313*
<i>P. horizontalis</i> Sw.		S	13*, 475*
<i>P. pubescens</i> Sw.		S	30, 71*, 108, 239*, 248*, 275*
<i>P. tenuifolia</i> Sw.		S	14*
<i>Randia aculeatea</i> L.		S	89*, 143, 185*, 324*, 417, 442, 445
<i>Simira salvadorensis</i> (Standley) Steyerm.	john crow redwood	Tl	196*

RUTACEAE

<i>Amyris balsamifera</i> L.		Ts	433*
<i>Citrus</i> sp.‡	citrus	Ts	
<i>Zanthoxylum ekmanii</i>	prickly yellow	Tl	
<i>Z. caribaeum</i> Lam.	bastard prickly yellow	Tm	453
<i>Z. juniperinum</i> Poepp. (<i>Z. acuminatum</i>)	black prickly yellow	Tl	341

SALICACEAE

<i>Casearia corymbosa</i> Kunth	paletillo	Tm	47, 348*, 383, 469*
<i>C. sylvestris</i> Sw.	wild sage	T	285
<i>Laetia thamnia</i> L.	bakelak	Tm	52, 66*, 329*
<i>Zuelania guidonia</i> (Sw.) Britton & Millsp.	water wood	Tl	120

SAPINDACEAE

<i>Allophylus cominia</i> (L.) Sw.	cherry, huesillo	Tm, Ts	17*
<i>Blomia prisca</i> (Standley) Lundell		Tl	99, 301*, 316, 380*, 484
<i>Cupania belizensis</i> Standley	bastard grand betty	Tm	171, 321*
<i>C. rufescens</i>	white grande betty	Ts	
<i>Exothea diphylla</i>	uayamcox	Tm	
<i>E. paniculata</i>		T	
<i>Matayba apetala</i> (Madfad.) Radlk. (<i>M.</i>)	boyjob	Tl	320*
<i>Paullinia cururu</i> L.		L	7*
<i>Sapindus saponaria</i>	soap-seed tree	T	
<i>Serjania</i> sp.		L	
<i>Talisia oliviformis</i> (Kunth) Radlk.	kinep, guaya	Tl	174, 176
<i>T. floresii</i> Standley		Tm	219

<i>Thouinia paucidentata</i> Radkl.	dzol	Tm	125*
SAPOTACEAE			
<i>Chrysophyllum mexicanum</i> Brandege ex Standley	wild star apple	Tm	24*, 269*
<i>Manilkara zapota</i> L.	sapodilla, sapote	Tvl	130*
<i>M. chicle</i>	chiquebul, chicle macho	Tvl	
<i>Pouteria</i> cf. <i>amygdalina</i> (Standley) Baehni	silión	Tl	42, 205, 252*
<i>P. campechiana</i> (HBK) Baehni	mammee ciruela	Tm, Tl	308*, 381
<i>P. durlandii</i> (Standley) Baehni	mammee cerera	Tm	126*, 233
<i>P. reticulata</i> (Engler) Eyma	zapotillo	Tl, Tm	305, 369*
<i>P.</i> cf. <i>sapota</i> (Jacq.) Moore & Stearn	mammee apple	Tl	101, 132, 360
<i>Sideroxylon foetidissimum</i>	cream tree	Tl	
<i>Siderolylon salicifolium</i>	faisán	Tl	
SIMAROUBACEAE			
<i>Simarouba</i> cf. <i>amara</i> Aubl.	negrito	Tl	139, 358
<i>Picramnia antidesma</i> Sw.		Ts	146, 245*
SOLANACEAE			
<i>Cestrum racemosum</i> Ruiz & Pavon	night bloom	Tm	376
<i>Lycianthes hyoleuca</i> Standl.		vine, S	258a
<i>Solanum erianthum</i> D. Don.		S, Ts	203
<i>Solanum nudum</i> Kunth.	nightshade	S	31*
STERCULIACEAE			
<i>Byttneria aculeata</i> Jacq.		L	121*
<i>Theobroma cacao</i> †	cacao	Ts	
THEACEAE			
<i>Ternstroemia tepezapote</i> Schlect. & Cham.	river craboo	T	434*
THEOPHRASTACEAE			
<i>Jacquinia longifolia</i>		S	
<i>Jacquinia macrocarpa</i> Cav.	knock-me-back	S	28*, 366*, 435
TURNERACEAE			
<i>Turnera aromatica</i> Arbo		S	212*

ULMACEAE

<i>Ampelocera hottlei</i> (Standley) Standley	female bullhoof	TI	41, 264*
---	-----------------	----	----------

URTICACEAE

<i>Urera baccifera</i>	cow itch	H, S	
------------------------	----------	------	--

LAMIACEAE

<i>Aegiphila monstrosa</i> Moldenke	vara blanca	S	297*
<i>Callicarpa acuminata</i>	pukin		
<i>Gmelina arborea</i> ‡		Tm	
<i>Rehdera penninervia</i> Standley ex Moldenke	hinge hinge	TI	94, 228*, 230
<i>Stachytarpheta miniacea</i> Moldenke		S	223*
<i>Tectona grandis</i> ‡	teak	TI	
<i>Vitex gaumeri</i> Greenm.	fiddlewood, yashnik	TI	119

VITACEAE

<i>Cissus verticilata</i> (L.) Nicolson & Jarvis		L	3*
--	--	---	----

VIOLACEAE

<i>Orthion malpighiifolium</i>		S	
<i>Rinorea guatemalensis</i> (Wats.) Bartl.	wild coffee	Ts, Tm	104, 128*, 282*
<i>R. hummelii</i>	wild coffee	Ts, Tm	

VOCHYSIACEAE

<i>Vochysia hondurensis</i> Sprague	yemeri	TI	
-------------------------------------	--------	----	--
